

Thermo-Treated Wood Roll Floors



RollFloors are a simple and effective solution which covers uncomfortable areas of our life by eco-friendly floors. The product made with outdoor rated and 100% Green thermo-treated wood, which is naturally protected against decay for 25 years. Each plank oiled on four sides. To fasten wooden planks together we use ecologically friendly EPDM backing material, which is weather resistant, non-slip and not leave marks on surfaces. If needed, is easy to cut to specific length. **RollFloors** can be placed together to make a desirable length and width.

Sold By:

RollFloors sizes: 1/2 in. x 32 in. x 42 in. (9.3 SF) Weight: 14 lbs. (1.5 lbs per sq. ft.) Packing and storage size: 32"x6"x6"

Applications

RollFloors are designed to use on flat surfaces as a more comfortable coverage for concrete, ceramic tiles, grass, old decks, sand, boardwalks, even carpets and wooden floors. The applications of **RollFloors** are unlimited: wooden mats in bathrooms and around pool areas, to cover concrete floors in basements, put on balconies, porches, cover old decks, create pathways in your garden, bring with you to recreation activity and RV, etc. - use them as permanent or temporary solution in any area of your life!

Don't use on bumpy surfaces like pebble, loose sand, or any place when you feel that the weight will exceed the strength of wooden planks. **RollFloors** are not suitable for structural applications.

RollFloors are made from thermo-treated wood for use indoors and outdoors. It's a 100% "Green" product!

Maintenance

If **RollFloors** used under direct sunlight to maintain the original color and appearance of the product, finish planks with any outdoor decking oil with UV protection. If the color turns to silver-brown and you wish to restore the original brown color, slightly sand the surface of the slats. Fading color does not change the properties of the product.

Warranty

Thermo-treated wood is naturally protected against rot and decay for 25 years. Nevertheless, the original appearance of the product depends on timely maintenance and usage as directed. We hope you'll enjoy the product for a long time!





Thermo-Treated Wood Roll Floors



RollFloors are a simple and effective solution which covers uncomfortable areas of our life by eco-friendly floors. The product made with outdoor rated and 100% Green thermo-treated wood, which is naturally protected against decay for 25 years. Each plank oiled on four sides. To fasten wooden planks together we use ecologically friendly EPDM backing material, which is weather resistant, non-slip and not leave marks on surfaces. If needed, is easy to cut to specific length. **RollFloors** can be placed together to make a desirable length and width.

Sold By:

RollFloors sizes: 1/2 in. x 32 in. x 42 in. (9.3 SF) Weight: 14 lbs. (1.5 lbs per sq. ft.) Packing and storage size: 32"x6"x6"

Applications

RollFloors are designed to use on flat surfaces as a more comfortable coverage for concrete, ceramic tiles, grass, old decks, sand, boardwalks, even carpets and wooden floors. The applications of **RollFloors** are unlimited: wooden mats in bathrooms and around pool areas, to cover concrete floors in basements, put on balconies, porches, cover old decks, create pathways in your garden, bring with you to recreation activity and RV, etc. - use them as permanent or temporary solution in any area of your life!

Don't use on bumpy surfaces like pebble, loose sand, or any place when you feel that the weight will exceed the strength of wooden planks. **RollFloors** are not suitable for structural applications.

RollFloors are made from thermo-treated wood for use indoors and outdoors. It's a 100% "Green" product!

Maintenance

If **RollFloors** used under direct sunlight to maintain the original color and appearance of the product, finish planks with any outdoor decking oil with UV protection. If the color turns to silver-brown and you wish to restore the original brown color, slightly sand the surface of the slats. Fading color does not change the properties of the product.

Warranty

Thermo-treated wood is naturally protected against rot and decay for 25 years. Nevertheless, the original appearance of the product depends on timely maintenance and usage as directed. We hope you'll enjoy the product for a long time!

